

TILEWORKS



ORIGINALSTYLE

Tileworks



Welcome to the latest edition of Tileworks, our contemporary collection of porcelain and ceramic tiles and mosaics. Large formats, innovative textures, a wide range of finishes, colours using the latest ink jet technology – this range includes designs suitable for every taste, location and setting.

During our travels around the world we have seen and sourced some amazing products and the Tileworks collection is a culmination of this quest. Now you can use the finest quality porcelains and ceramic tiles to enhance your home, on floors and walls in bathrooms, wet rooms, kitchens, living spaces, wherever you choose. They will be equally at home in commercial settings such as hotels, offices, restaurants, bars, retail environments ... (the possibilities are limited only by the imagination).



contents

- 04** Mineral Collection
- 12** Broadway
- 14** Cementi
- 18** New York and Paulista
- 20** Wood Effect
- 24** Bamboo Effect
- 28** Fabulous Creatures
- 32** Santiago
- 36** Arles and Thenac
- 38** Slate Chiara
- 42** City Range
- 46** Sands
- 50** Zelo Slimline
- 54** New York Mosaics and
Mattone Brick Effect
- 58** Coliseum, Rock and Mediterranean
- 62** Parisian White, Fantasy Black and Illusion White
- 64** Borgogna, Belize and Acropolis Sand
- 66** Valencia and Dream Beige
- 70** Essence
- 74** Reykjavik and Komotiite
- 76** Vision and Pyrenees
- 78** Bodecia
- 80** Lyon Beige
- 82** Strasbourg Cream, Sunlight and Stone Effect
- 85** Milan
- 86** Materia
- 88** Africa
- 90** Modern Collection and New Age White
- 92** Classic Whites
- 93** Important Information



Mineral Collection



Floor: Mineral Grafite Polished CS743-6060,
shown with Mekong glass wall tiles
from the Glassworks range

Seven subtle colours, each
in three practical finishes

Mineral is a collection of large, through body, rectified porcelains in natural (matt) and polished finishes, and also with a structured (slip resistant) finish. The seven subtle colours of these beautiful and tough tiles will look fabulous on their own or combined together.


06

MINERAL
COLLECTION



Floor: Mineral Portland Natural
CS747-6060

Wall: Gold Leaf glass tiles from
the Glassworks range



The range of colours and finishes means that the Mineral collection is incredibly versatile

The beauty of the Mineral collection is that the tiles look great in large areas – the perfect choice for achieving a seamless look in wide open spaces. They also co-ordinate superbly with our Glassworks range of 600 x 300mm decorative glass designs, as shown here.



Walls: Mineral Fendi Natural CS738-6060, Concreto Aparante Natural CS735-6060
Floor: Mineral Fendi Structured CS-739-6060




Walls, floors,
residential,
commercial?
The Mineral
range has
got it all
covered

The structured tiles are suitable and safe for wet room floors, and with the range of co-ordinating colours in the three finishes there are many different pleasing and stylish combinations that can be achieved for every type of room. Turn the page for full details.

Mineral

rectified full bodied porcelain


Off White Natural


CS750-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 21.9kg per m²


Off White Structured


CS751-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
PTV: 55W
Weight: 21.9kg per m²


Off White Polished

CS752-6060 • 600 x 600 x 9mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.0kg per m²


Portland Natural

CS747-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 21.9kg per m²


Portland Structured

CS748-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
PTV: 55W
Weight: 21.9kg per m²


Portland Polished

CS749-6060 • 600 x 600 x 9mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.0kg per m²


Nude Natural

CS744-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 21.9kg per m²


Nude Structured

CS745-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
PTV: 55W
Weight: 21.9kg per m²


Nude Polished

CS746-6060 • 600 x 600 x 9mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.0kg per m²



Walls




Floors




Internal


Structured tiles are also suitable for external use. See pages 93-95




Concreto Aparante Natural
 CS735-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 21.9kg per m²




Concreto Structured
 CS736-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 PTV: 55W
 Weight: 21.9kg per m²



Concreto Polished
 CS737-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 19.0kg per m²




Argento Natural
 CS732-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 21.9kg per m²




Argento Structured
 CS733-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 PTV: 55W
 Weight: 21.9kg per m²




Argento Polished
 CS734-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 19.0kg per m²




Fendi Natural
 CS738-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 21.9kg per m²




Fendi Structured
 CS739-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 PTV: 55W
 Weight: 21.9kg per m²




Fendi Polished
 CS740-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 19.0kg per m²



Grafite Natural
 CS741-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 21.9kg per m²



Grafite Structured
 CS742-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 PTV: 55W
 Weight: 21.9kg per m²



Grafite Polished
 CS743-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 19.0kg per m²





Broadway Road CS756-6060



Floor and Wall: Broadway Concrete CS755-6060

Broadway

A washed cement effect, for the modern warehouse look

Broadway's rectified tiles are perfect for the pared down modern style of interior design. The glazed porcelain has a washed cement effect in four streetwise colours (see page 16 for the full colour range).



Floor: Broadway Lime CS753-6060
Wall behind the bed: New Age Off White CS725-6030 (see page 91), shown with Chenab Clear glass tiles from the Glassworks range and in the en suite, Cascade Silk mosaics from the Mosaics range

14

CEMENTI



Cementi

Cool colours for
contemporary interiors

Glazed porcelain tiles in a palette of soft greys to resemble cemented surfaces, using ink jet technology. The non-rectified format means the edges have a softer feel to them. Like Broadway, Cementi will fit in well with the current urban warehouse style trend. Please turn the page for full details.

Broadway

rectified glazed porcelain



Broadway Lime
CS753-6060 • 600 x 600 x 10mm
PEI Rating: 4
Weight: 20.9kg per m²



Broadway Cement
CS754-6060 • 600 x 600 x 10mm
PEI Rating: 4
Weight: 20.9kg per m²



Broadway Concrete
CS755-6060 • 600 x 600 x 10mm
PEI Rating: 4
Weight: 20.9kg per m²



Broadway Road
CS756-6060 • 600 x 600 x 10mm
PEI Rating: 4
Weight: 20.9kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.
Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.
Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.
De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls




Floors



Internal

Cementi

glazed porcelain



White Glazed Porcelain

CS798-6060 • 600 x 600 x 9.5mm
PEI Rating: 5
Weight: 20.7kg per m²



Soft Grey Glazed Porcelain

CS799-6060 • 600 x 600 x 9.5mm
PEI Rating: 5
Weight: 20.7kg per m²



Grafite Glazed Porcelain

CS800-6060 • 600 x 600 x 9.5mm
PEI Rating: 4
Weight: 20.7kg per m²



Grey Glazed Porcelain

CS801-6060 • 600 x 600 x 9.5mm
PEI Rating: 4
Weight: 20.7kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.
Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.
Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.
De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal

New York and Paulista



Wall: New York CS783-9045
Floor: Cimentil Grey CS801-6060



New York Glazed Porcelain
CS783-9045 • 900 x 450 x 10mm
Weight: 22.0kg per m²



Paulista Glazed Porcelain
CS784-9045 • 900 x 450 x 10mm
Weight: 22.0kg per m²

Two striking wall tiles with amazing textured effects

The relief patterns on these striking glazed porcelain tiles can be used for creating amazing and distinctive effects for modern interior walls. Try different lighting methods to enhance the decorative designs.



Walls



Internal

Wood Effect



All the
character
of wood
in a glazed
porcelain tile

These amazingly realistic wood effect planks are designed and manufactured with the use of digital inkjet technology, ensuring a depth of colour and the ultimate in realism. These planks are perfect when you want the look of wood and the practicality of porcelain. Beautiful on the floor, they also look great on the wall. You could say, they are just like the real thing, only better!

Wood Effect



Eucalipto Glazed Porcelain

CS761-12020 • 1200 x 200 x 12mm

PEI Rating: 4

Weight: 25.8kg per m²



Rovere Glazed Porcelain

CS764-12020 • 1200 x 200 x 12mm

PEI Rating: 4

Weight: 25.8kg per m²



Peroba Castanho Glazed Porcelain

CS763-12020 • 1200 x 200 x 12mm

PEI Rating: 4

Weight: 25.8kg per m²



Peroba Amendola Glazed Porcelain

CS762-12020 • 1200 x 200 x 12mm

PEI Rating: 4

Weight: 25.8kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal



Wall: Peroba Castanho CS763-12020

Floor: Botticino Tumbled Marble from the Earthworks range, and St Kitts Mosaics from the Pool and Spa range

Bamboo

Make a statement
with these funky
bamboo lookalikes


Ink jet technology has been used for these three glazed porcelain tiles which closely resemble bamboo. They will bring a touch of the tropics to any bathroom or spa area.








Bamboo

**Sisal Glazed Porcelain**

CS787-9015 • 900 x 150 x 10mm

Weight: 21.0kg per m²**Juta Glazed Porcelain**

CS786-9015 • 900 x 150 x 10mm

Weight: 21.0kg per m²**Buriti Glazed Porcelain**

CS785-9015 • 900 x 150 x 10mm

Weight: 21.0kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Internal



Floor and wall on right: Cavallino Anthracite CS583-4545
Wall on left: Cavallino White CS580-4545

Fabulous Creatures

Outrageously glamorous animal prints,
with co-ordinating textured tiles

These definitely have the wow factor. The animal prints can be used on their own or with the matching plain coloured tiles, which also have the texture of animal hide. These striking tiles change their appearance in different lighting conditions.

Top right: Cavallino Zebra CS587-4545
Right: Cavallino Leopard CS584-4545



Fabulous Creatures

**Cavallino White Glazed Porcelain**

CS580-4545 • 450 x 450 x 9mm

PEI Rating: 3

Weight: 22.0kg per m²**Cavallino Crema Glazed Porcelain**

CS615-4545 • 450 x 450 x 9mm


PEI Rating: 3

Weight: 22.0kg per m²**Cavallino Gold Glazed Porcelain**

CS581-4545 • 450 x 450 x 9mm


PEI Rating: 3

PTV: 54W

Weight: 22.0kg per m²**Cavallino Bronze Glazed Porcelain**

CS582-4545 • 450 x 450 x 9mm

PEI Rating: 3

Weight: 22.0kg per m²**Cavallino Anthracite Glazed Porcelain**

CS583-4545 • 450 x 450 x 9mm

PEI Rating: 3

Weight: 22.0kg per m²


Walls



Floors




Internal



Cavallino Leopard Glazed Porcelain
CS584-4545 • 450 x 450 x 9mm
PEI Rating: 2
Weight: 22.0kg per m²



Cavallino Tiger Glazed Porcelain
CS585-4545 • 450 x 450 x 9mm
PEI Rating: 2
Weight: 22.0kg per m²



Cavallino Friesian Glazed Porcelain
CS586-4545 • 450 x 450 x 9mm
PEI Rating: 2
Weight: 22.0kg per m²



Cavallino Zebra Glazed Porcelain
CS587-4545 • 450 x 450 x 9mm
PEI Rating: 2
Weight: 22.0kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.
Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.
Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.
De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal



Wall: Santiago White Decorated CS529-6030 and Santiago White CS528-6030 shown with Metallica Border from the Glassworks range
Floor: Santiago White CS528-6060



Wall: Santiago Beige Decorated CS527-6030
Floor: Santiago Beige CS526-6060

Cutting edge design for modern living spaces

The semi-polished finish enhances the contemporary credentials of this range. In shades of white, beige, brown, olive, grey and black, the plain tiles have a subtle movement of tone, and the co-ordinating decorative pieces have a delicate repeating pattern. Turn the page for full details.




Santiago

Wall: Santiago Black Decorated CS531-6030 and Santiago Black CS530-6030
Floor: Santiago Black CS530-6060

Santiago

semi-polished porcelain


Santiago White Decorated

CS529-6030 • 600 x 300 x 9.5mm

Weight: 22.9kg per m²


Santiago White Rectified

CS528-6030 • 600 x 300 x 9.5mm

CS528-6060 • 600 x 600 x 9.5mm

PEI Rating: 4

Weight: 22.9kg per m²


Santiago Beige Decorated

CS527-6030 • 600 x 300 x 9.5mm

Weight: 22.9kg per m²


Santiago Beige Rectified

CS526-6030 • 600 x 300 x 9.5mm

CS526-6060 • 600 x 600 x 9.5mm

PEI Rating: 4

Weight: 22.9kg per m²


Santiago Olive Decorated

CS525-6030 • 600 x 300 x 9.5mm

Weight: 22.9kg per m²


Santiago Olive Rectified

CS524-6030 • 600 x 300 x 9.5mm

CS524-6060 • 600 x 600 x 9.5mm


PEI Rating: 4

Weight: 22.9kg per m²



**Santiago Black Decorated**

CS531-6030 • 600 x 300 x 9.5mm

Weight: 22.9kg per m²**Santiago Black Rectified**

CS530-6030 • 600 x 300 x 9.5mm

CS530-6060 • 600 x 600 x 9.5mm

PEI Rating: 4

Weight: 22.9kg per m²**Lisboa Terra Rectified**


CS717-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 22.2kg per m²**Sintra Terra Rectified**

CS718-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 22.2kg per m²**Santiago Grey Rectified**

CS532-6030 • 600 x 300 x 9.5mm

CS532-6060 • 600 x 600 x 9.5mm

PEI Rating: 4

Weight: 22.9kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.





Arles CS489-6030

Arles and Thenac

Soft colours and a limestone effect

The versatile 900 x 900mm rectified porcelain floor tiles are perfect for any entrance hall or large area. The satin finish is complemented by the rectified 900 x 300mm gloss ceramic wall tiles. The range also includes 600 x 300mm gloss ceramic in both colours. See page 40 for full details.

38

SLATE CHIARA



Slate Di Savoia Argento CS767-6060

Slate Chiara

Slate effect tiles in both light and dark, with two matching mosaic finishes


All the fine details and good looks of natural slate and quartz, in glazed porcelain. Digital ink jet technology lends a genuine quality to these attractive stone effect tiles, which are further enhanced in the mosaic effect versions. Turn the page for full details.






Floor: Slate Chiara Bianco CS765-6060
Wall on right: Slate Chiara Mosaic Finish CS766-6060
Other walls: Essence Crema Act CS788-6030 (see page 70)


Arles and Thenac

**Arles Gloss Ceramic**


CS489-6030 • 600 x 300 x 9mm
Weight: 18.8kg per m²

**Arles Rectified Glazed Ceramic**


CS489-9030 • 900 x 300 x 13mm
Weight: 24.9kg per m²

**Arles Rectified Double Pressed Porcelain Satin Finish**

CS562-9090 • 900 x 900 x 13mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 24.9kg per m²

**Thenac Stone Ceramic**

CS556-6030 • 600 x 300 x 9mm
Weight: 18.8kg per m²

**Thenac Rectified Glazed Ceramic**


CS556-9030 • 900 x 300 x 13mm
Weight: 24.9kg per m²

**Thenac Rectified Double Pressed Porcelain Satin Finish**

CS563-9090 • 900 x 900 x 13mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 24.9kg per m²



Slate Chiara



Slate Chiara Bianco Glazed Porcelain

CS765-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 21.9kg per m²



Slate Chiara Mosaic Finish Glazed Porcelain

CS766-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 20.9kg per m²



Slate Di Savoia Argento Glazed Porcelain

CS767-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 21.9kg per m²



Slate Di Savoia Mosaic Finish Glazed Porcelain

CS768-6060 • 600 x 600 x 10mm

PEI Rating: 4

Weight: 20.9kg per m²



Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.

42

CITY RANGE

City Range



Chic and fashionable, like
their Italian city name sakes

A range of stylish colours, polished and matt finishes in a tough, stone-effect porcelain make these tiles extremely adaptable for all spaces. This double loaded porcelain is suitable for even heavy footfall in commercial settings.



Wall: Napoli Sabbia Matt CS494-6030 shown
with New York Mix Mosaics (see page 57),
Floor: Napoli Sabbia Polished CS500-6030



Rimini Taupe Polished CS811-6030



Verona Bianco Matt CS497-6030

Wall: Bari Mocha Polished CS505-6030
Floor: Bari Mocha Matt CS499-6030

City Range

full bodied double loaded porcelain


Verona Bianco Matt Rectified


CS497-3030 • 300 x 300 x 10mm
 CS497-6030 • 600 x 300 x 10mm
 CS497-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²


Florence Beige Matt Rectified


CS495-3030 • 300 x 300 x 10mm
 CS495-6030 • 600 x 300 x 10mm
 CS495-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²


Genoa Natrale Matt Rectified


CS496-3030 • 300 x 300 x 10mm
 CS496-6030 • 600 x 300 x 10mm
 CS496-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²


Verona Bianco Polished Rectified

CS503-6030 • 600 x 300 x 9mm
 CS503-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²


Florence Beige Polished Rectified

CS501-6030 • 600 x 300 x 9mm
 CS501-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²


Genoa Natrale Polished Rectified

CS502-6030 • 600 x 300 x 9mm
 CS502-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.


De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.

**Napoli Sabbia Matt Rectified**

CS494-3030 • 300 x 300 x 10mm
 CS494-6030 • 600 x 300 x 10mm
 CS494-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Rimini Taupe Matt Rectified**


CS810-3030 • 300 x 300 x 10mm
 CS810-6030 • 600 x 300 x 10mm
 CS810-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Bari Mocha Matt Rectified**


CS499-3030 • 300 x 300 x 10mm
 CS499-6030 • 600 x 300 x 10mm
 CS499-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Napoli Sabbia Polished Rectified**


CS500-6030 • 600 x 300 x 9mm
 CS500-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Rimini Taupe Polished Rectified**

CS811-6030 • 600 x 300 x 9mm
 CS811-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Bari Mocha Polished Rectified**

CS505-6030 • 600 x 300 x 9mm
 CS505-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Turin Grigio Matt Rectified**

CS498-3030 • 300 x 300 x 10mm
 CS498-6030 • 600 x 300 x 10mm
 CS498-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²

**Turin Grigio Polished Rectified**

CS504-6030 • 600 x 300 x 9mm
 CS504-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²



Walls



Floors



Internal

46

SANDS



Floor: Santa Monica CS698-6060

Wall: Solstice wall tiles from the Glassworks range



Sands

Colours that resemble the sands of famous beaches from around the globe

These full bodied, rectified porcelains have soft colours from white through to black. However, unlike shifting beach sand, the tiles in this collection are as solid as a rock underfoot and can be used with confidence for flooring in heavy footfall areas. See overleaf for full details.



Wall: Vigan CS696-6030 shown with Ulysses bevel tiles from the Glassworks range
Floor: Vigan CS696-6060

Sands

rectified full bodied porcelain




Waikiki

CS697-6030 • 600 x 300 x 10mm
 CS697-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²



Santa Monica

CS698-6030 • 600 x 300 x 10mm
 CS698-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²



Vigan

CS696-6030 • 600 x 300 x 10mm
 CS696-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²



Myrtos

CS695-6030 • 600 x 300 x 10mm
 CS695-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²



Papakolea

CS693-6030 • 600 x 300 x 10mm
 CS693-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²



Kehena

CS694-6030 • 600 x 300 x 10mm
 CS694-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal

50

ZELO SLIMLINE

Zelo Slimline

Ultra thin and light weight

Zelo are exceptionally thin panels of glazed porcelain (only 5mm) and so they are lighter in weight than thicker tiles. This means they can be used to tile over previously tiled surfaces (providing these are sound). They are easy to cut, and as they are large format (800 x 400mm), a room can be quickly and completely transformed. Ink jet printing used in their production also results in smooth and even colour coverage, and they have a very subtle glimmer effect which can be seen in certain lights.








Wall: Anthracite CS804-8040, shown with Spectre Mosaics from the Mosaics range
Floor: Anthracite CS804-8040

Zelo Slimline glazed porcelain

**White Rectified**


CS805-8040 • 800 x 400 x 5mm

PEI Rating: 5

Weight: 11.5kg per m²**Beige Rectified**

CS802-8040 • 800 x 400 x 5mm

PEI Rating: 5

**Grey Rectified**

CS803-8040 • 800 x 400 x 5mm

PEI Rating: 4

**Antracite Rectified**

CS804-8040 • 800 x 400 x 5mm

PEI Rating: 4

Weight: 11.5kg per m²

Although they have a thickness of only 5mm, Zelo Slimline tiles conform to the standards for impact resistance tests:
BS EN ISO 10545-5: Average Coefficient of Restitution 0.85 (impact resistance with no damage caused though test). Please see pages 93-95.

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.
Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.
Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.
De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal



New York Times Square Black Mosaic
CS357-3030



Mattone Bianco Ceramic CS769-2307


New York Mosaics and Matonne Brick Effect

Sleek and linear mosaics, and brick effect tiles

The New York mosaics are available in a variety of colours and mixes, and look stylish placed either vertically or horizontally. Mattonne are brick effect ceramic tiles in both black and white, bringing a rustic feel to contemporary settings.



Matonne Brick Effect



Mattoni Bianco Ceramic
CS769-2307 • 65 x 230 x 7mm
Weight: 13.8kg per m²



Mattoni Nero Ceramic
CS770-2307 • 65 x 230 x 7mm
Weight: 13.8kg per m²



New York Mosaics full bodied porcelain




Central Park Cream
CS354-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²




Brooklyn Beige
CS353-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²



First Avenue Taupe
CS356-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²



Manhattan Mocha
CS355-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²

**Empire State Coffee**


CS358-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²

**Union City Brown**

CS359-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²

**New York Mix**

CS352-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²

**Times Square Black**

CS357-3030 • 287 x 295 x 7mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 13.3kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal





Rock Arena CS124-1010, Rock Dorato CS125-1010 and
Rock Noce CS123-1010



Upper wall Sardinian Beige CS392-3040, lower wall,
shelf, Maltese Brown CS393-3040, Mixed Travertine 2.3
Mosaics and Mosaic Basin from the Earthworks range

Coliseum, Rock and Mediterranean

Stone-effect tiles in different formats for
floors and walls

Coliseum is a rustic, travertine effect floor tile, perfect for that country kitchen look. Available in three colours and sizes, which look fantastic used on their own or together in a multi-format pattern as shown. Rock is a collection of 100 x 100mm tiles in six colours which can be mixed or used as a single colour for walls (and floors). The shades of Mediterranean wall tiles co-ordinate beautifully with each other and with natural stone mosaics (as shown above).


Coliseum

**Coliseum White Glazed Porcelain**

CS716-2525 • 250 x 250 x 10mm
 CS716-5025 • 500 x 250 x 10mm
 CS716-5050 • 500 x 500 x 10mm
 PEI Rating: 4
 Weight: 21.3kg per m²

**Coliseum Beige Glazed Porcelain**

CS715-2525 • 250 x 250 x 10mm
 CS715-5025 • 500 x 250 x 10mm
 CS715-5050 • 500 x 500 x 10mm
 PEI Rating: 4
 Weight: 21.3kg per m²

**Coliseum Noce Glazed Porcelain**

CS714-2525 • 250 x 250 x 10mm
 CS714-5025 • 500 x 250 x 10mm
 CS714-5050 • 500 x 500 x 10mm
 PEI Rating: 4
 Weight: 21.3kg per m²


Rock

**Rock Bianco Glazed Porcelain**

CS126-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²

**Rock Grigio Glazed Porcelain**

CS127-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²

**Rock Arena Glazed Porcelain**

CS124-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²

**Rock Noce Glazed Porcelain**

CS123-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²

**Rock Dorato Glazed Porcelain**

CS125-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²

**Rock Nero Glazed Porcelain**

CS128-1010 • 100 x 100 x 8.5mm
 PEI Rating: 4
 Weight: 19.0kg per m²



Walls



Floors



Internal

Mediterranean


Sicilian White Ceramic


CS391-3040 • 400 x 300 x 8mm
Weight: 16.1kg per m²


Sardinian Beige Ceramic


CS392-3040 • 400 x 300 x 8mm
Weight: 16.1kg per m²


Maltese Brown Ceramic

CS393-3040 • 400 x 300 x 8mm
Weight: 16.1kg per m²


Sicilian White Glazed Porcelain

CS391-4545 • 450 x 450 x 8mm
PEI Rating: 5
Weight: 21.7kg per m²


Sardinian Beige Glazed Porcelain

CS392-4545 • 450 x 450 x 8mm
PEI Rating: 5
Weight: 21.7kg per m²


Maltese Brown Glazed Porcelain

CS393-4545 • 450 x 450 x 8mm
PEI Rating: 4
Weight: 21.7kg per m²



Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Wall and Florr: Illusion White CS521-6060, CS521-6030 and Fantasy Black CS522-6030



Wall behind stove Parisian White CS301-6030, shown with Stovax Riva Vision on a Riva bench installed on a Stovax hearth

Parisian White, Fantasy and Illusion

Classic Black and Whites

Fantasy is a superb black, full bodied polished porcelain, perfect on its own and also beautiful when teamed with its soul mate, Illusion White. Parisian White is also a stylish polished white porcelain to suit all needs for walls and floors.



Belize Sand CS548-9045



Borgogna Crema CS558-9045

Borgogna, Belize and Acropolis Sand

Tiles with a superior stone effect finish

Available in white and cream, Borgogna sandstone effect large format tiles will enhance kitchens, hallways and conservatories. The warm tones of Acropolis Sand are enhanced by its subtle matt travertine effect. Belize, a large format, rectified glazed porcelain in a subtle sand colour, will look at home in many different settings.



Wall: Acropolis Sand CS781-9030, shown with Jurassic Mosaic from the Mosaics range
Floor: Mineral Nude Structured CS745-6060



Valencia and
Dream Beige



Wall: Dream Beige CS523-6030, shown with Divine mosaics from the Mosaics range
Floor: Dream Beige CS523-6060

The ultimate in elegance and style

Valencia Crema has all the stunning good looks of polished marble, with the durability of porcelain. Dream Beige is a decorator's dream: a full bodied polished porcelain wall and floor tile in three sizes.

Valencia Crema
 CS459-9045, shown
 with Borgogna Crema
 (see page 64)

Parisian White, Fantasy and Illusion

full bodied polished porcelain



Parisian White

CS301-3030 • 300 x 300 x 10mm
 CS301-6030 • 600 x 300 x 10mm
 CS301-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.9kg per m²



Illusion White Rectified


CS521-4040 • 400 x 400 x 8mm
 CS521-6030 • 600 x 300 x 9mm
 CS521-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 20.8kg per m²



Fantasy Black Rectified

CS522-4040 • 400 x 400 x 8mm
 CS522-6030 • 600 x 300 x 9mm
 CS522-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.2kg per m²

Valencia and Dream Beige



Valencia Crema Rectified

Double Loaded Polished Porcelain
 CS459-9045 • 900 x 450 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 20.0kg per m²



Dream Beige Rectified Full Bodied Polished Porcelain

CS523-4040 • 400 x 400 x 8mm
 CS523-6030 • 600 x 300 x 9mm
 CS523-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 20.8kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls




Floors



Internal

Borgogna, Belize and Acropolis Sand




Borgogna Bianco Rectified Glazed Porcelain

CS557-9045 • 900 x 450 x 13mm

PEI Rating: 4

Weight: 27.0kg per m²



Acropolis Sand Rectified Matt Ceramic

CS781-9030 • 900 x 300 x 11.2mm

Weight: 23.0kg per m²




Borgogna Crema Rectified Glazed Porcelain

CS558-9045 • 900 x 450 x 13mm

PEI Rating: 4

Weight: 27.0kg per m²



Belize Sand Rectified Glazed Porcelain

CS548-9045 • 900 x 450 x 14mm

PEI Rating: 4

PTV: 55W

Weight: 27.0kg per m²



Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.

70

ESSENCE

A smooth satin finish in calming tones

The Essence collection of co-ordinating wall and floor tiles, with their subtle shades and smooth satin finish, will provide a perfect backdrop for all styles of furnishings and fashions.



Essence



Wall: Essence White Plain Matt CS792-6030, shown with Perfume tiles from the Glassworks range (in alcove)

Floor: White Plain Matt CS797-4545


Essence



White Plain Matt Ceramic
CS792-6030 • 600 x 300 x 9mm
Weight: 15.1kg per m²




Crema Ceramic
CS788-6030 • 600 x 300 x 9mm
Weight: 15.1kg per m²



Nebia Ceramic
CS789-6030 • 600 x 300 x 9mm
Weight: 15.1kg per m²



Grigio Ceramic
CS790-6030 • 600 x 300 x 9mm
Weight: 15.1kg per m²




Sabbia Ceramic
CS791-6030 • 600 x 300 x 9mm
Weight: 15.1kg per m²



Walls



Internal

**White Plain Matt Glazed Porcelain**

CS797-4545 • 450 x 450 x 8.5mm

PEI Rating: 5

Weight: 17.6kg per m²**Crema Glazed Porcelain**

CS793-4545 • 450 x 450 x 8.5mm

PEI Rating: 4

Weight: 17.6kg per m²**Nebia Glazed Porcelain**

CS794-4545 • 450 x 450 x 8.5mm

PEI Rating: 4

Weight: 17.6kg per m²**Grigio Glazed Porcelain**

CS795-4545 • 450 x 450 x 8.5mm

PEI Rating: 4

Weight: 17.6kg per m²**Sabbia Glazed Porcelain**

CS796-4545 • 450 x 450 x 8.5mm

PEI Rating: 4

Weight: 17.6kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal



Reykjavik and Komotiite



Komotiite Black CS308-4545, Komotiite Grey CS307-4545

Texture, colour and drama

Reykjavik will add style to any contemporary interior; Komotiite is an ultra modern tile with a ribbed texture, in a soft grey and a smoky black.




Vision Black CS416-4545 and Vision Grey CS415-4545

Vision and Pyrenees


Vision, available in grey and black, brings an understated simplicity to a room (Vision Black is available in a rectified version too). Pyrenees, a matt glazed porcelain, is a subtle soft light grey.

Reykjavik, Komotiite, Vision and Pyrenees



Reykjavik Rectified Colour Bodied Glazed Porcelain

CS372-6060 • 600 x 600 x 11mm
PEI Rating: 3
Weight: 22.9kg per m²



Komotiite Grey Full Bodied Porcelain

CS307-4545 • 450 x 450 x 9mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.3kg per m²




Komotiite Black Full Bodied Porcelain

CS308-4545 • 450 x 450 x 9mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.3kg per m²




Vision Grey Glazed Porcelain

CS415-4545 • 450 x 450 x 9mm
PEI Rating: 4
Weight: 19.7kg per m²




Vision Black Glazed Porcelain

CS416-4545 • 450 x 450 x 9mm
PEI Rating: 4
Weight: 19.7kg per m²



Vision Black Rectified Semi Polished Glazed Porcelain

CS414-4444 • 440 x 440 x 9mm
PEI Rating: 4
Weight: 19.0kg per m²



Pyrenees Rectified Colour Bodied Glazed Porcelain

CS370-6060 • 600 x 600 x 10mm
PEI Rating: 3
Weight: 22.9kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal

78

BODECIA

Bodecia

A chic wall tile that
has all the looks of a
cross-cut travertine

Create a feeling of calm and tranquillity with
this attractive stone effect wall tile.



Bodecia Beige Rectified Gloss Ceramic

CS779-6030 • 600 x 300 x 10.2mm

Weight: 19.6kg per m²



Walls



Internal

Bodecia CS779-6030



100 DAYS IN PHOTOGRAPHS | 1

Tyler

80

LYON BEIGE

Hard
wearing and
beautiful –
a winning
combination

Lyon Beige, a limestone-effect polished porcelain has excellent wear rating properties. It is suitable both for homes and even the most demanding of commercial locations.



Wall: Lyon Beige CS373-3060
Floor: Lyon Beige CS373-6060

Lyon Beige





Floor: Polished Sunlight CS386-4545
Wall: Ebro Beveled tiles from the Glassworks range



Soft Limestone CS591-6030

Sleek finishes and effects of stone for an understated look

Limestone-effect Strasbourg Cream is stunning in bathrooms and kitchens; Sunlight is dazzling in both natural and polished finishes, as a hard wearing full bodied porcelain for both walls and floors. Soft Limestone is an outstanding stone effect wall tile with a soft sheen, and Maison Beige (shown overleaf) has a soft satin marble effect.



Strasbourg Cream, Sunlight and Stone Effect

Wall: Strasbourg Cream CS298-6030 shown with Mellow Mosaics from the Mosaics range

Floor: Strasbourg Cream CS298-6060

Lyon Beige, Strasbourg Cream and Sunlight



Lyon Beige Rectified Double Loaded Polished Porcelain

CS373-3060 • 600 x 300 x 10mm
CS373-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 22.9kg per m²




Strasbourg Cream Rectified Double Loaded Polished Porcelain

CS298-3030 • 300 x 300 x 10mm
CS298-6030 • 600 x 300 x 10mm
CS298-6060 • 600 x 600 x 10mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 22.9kg per m²



Polished Sunlight Rectified Full Bodied Porcelain

CS386-4545 • 450 x 450 x 8mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.9kg per m²



Natural Sunlight Rectified Full Bodied Porcelain

CS385-4545 • 450 x 450 x 8mm
Wear Rating: ISO 10545-6 (<175mm³)
Weight: 19.9kg per m²



Walls




Floors




Internal

Stone Effect



Soft Limestone Rectified Ceramic

CS591-6030 • 600 x 300 x 10mm
Weight: 18.0kg per m²



Maison Beige Rectified Ceramic

CS723-6030 • 600 x 300 x 10mm
Weight: xx.xkg per m²



Walls



Internal

Milan



Milan White Rectified Ceramic

CS375-3060 • 600 x 300 x 11mm

Weight: 19.4kg per m²

CS375-9030 • 900 x 300 x 13mm

Weight: 24.9kg per m²


Milan Sky Rectified Ceramic

CS376-3060 • 600 x 300 x 11mm

Weight: 19.4kg per m²


Milan Beige Rectified Ceramic

CS374-3060 • 600 x 300 x 11mm

Weight: 19.4kg per m²


Milan Mocha Rectified Ceramic

CS377-3060 • 600 x 300 x 11mm

Weight: 19.4kg per m²



Milan Sky CS376-3060

Chic Milan offers a wall tile with a deep glassy pinstripe glaze in White, Sky, Beige and Mocha.

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls




Internal

Materia

A high specification tile
for high volume footfall

Materia, a full bodied and rectified porcelain, has a cement-like finish and is superbly suited to large area commercial applications.



**Materia Cement Rectified
Full Bodied Porcelain**

CS726-6060 • 600 x 600 x 10mm

Wear Rating: ISO 10545-6 (<175mm³)

Weight: 22.9kg per m²



Walls



Floors



Internal





Africa

Smart and hard wearing for residential and commercial applications




Matt and polished finishes in 600 x 600mm and 600 x 300mm sizes, these rectified full bodied porcelains are also durable enough to be placed in high footfall commercial areas. Modern colours are soft and subtle enough for residential settings, too.



Wall: Durban White Polished CS771-6030, Cape Town Grey Polished CS773-6030
Floor: Durban White Matt CS772-6060


Africa

rectified full bodied porcelain




Durban White Matt

CS772-6030 • 600 x 300 x 10mm
 CS772-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²



Durban White Polished

CS771-6030 • 600 x 300 x 9mm
 CS771-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²




Cape Town Grey Matt

CS774-6030 • 600 x 300 x 10mm
 CS774-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²




Cape Town Grey Polished

CS773-6030 • 600 x 300 x 9mm
 CS773-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²



Pretoria Anthracite Matt

CS776-6030 • 600 x 300 x 10mm
 CS776-6060 • 600 x 600 x 10mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²



Pretoria Anthracite Polished

CS775-6030 • 600 x 300 x 9mm
 CS775-6060 • 600 x 600 x 9mm
 Wear Rating: ISO 10545-6 (<175mm³)
 Weight: 22.0kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Floors



Internal

90

MODERN
COLLECTION AND
NEW AGE WHITE



New Age Off White CS725-6030 shown with
Chenab clear glass tiles from the Glassworks range




Wall above shelf: Modern Off White Flow CS757-6030

Modern Collection and New Age White

These whites and pastels are infinitely
versatile and will go anywhere

There's always a need for a classic white tile, and here you have a choice
of sizes. The Modern Collection has a subtle undulating texture for interest.
See overleaf for more white tile options.

**Modern Off White Flow Ceramic**

CS757-6030 • 600 x 300 x 10mm

Weight: 17.2kg per m²**Modern Pastel Flow Ceramic**


CS758-6030 • 600 x 300 x 10mm

Weight: 17.2kg per m²**Modern Argento Flow Ceramic**

CS760-6030 • 600 x 300 x 10mm

Weight: 17.2kg per m²**Modern Portland Flow Ceramic**

CS759-6030 • 600 x 300 x 10mm

Weight: 17.2kg per m²**New Age Off White Rectified Glazed Porcelain**

CS725-4545 • 450 x 450 x 8mm

CS725-6030 • 600 x 300 x 10mm

CS725-6060 • 600 x 600 x 10mm

Wear Rating: ISO 10545-6 (<175mm³)Weight: 20.3kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.


De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Classic Whites


A collection of white ceramic wall tiles in different sizes and thicknesses, and two finishes.

Baltic White CS536-9030




Ice White Rectified Gloss Glazed Ceramic

CS534-6030 • 600 x 300 x 11mm
 CS777-6030 • 600 x 300 x 10.2mm
 Weight: 18.8kg per m²
 CS431-3060 • 600 x 300 x 10.5mm
 Weight: 19.7kg per m²




Ice White Rectified Matt Glazed Ceramic

CS535-6030 • 600 x 300 x 11mm
 CS778-6030 • 600 x 300 x 10.2mm
 Weight: 18.8kg per m²



Baltic White Rectified Gloss Glazed Ceramic

CS536-9030 • 900 x 300 x 12mm
 CS780-9030 • 900 x 300 x 11.2mm
 Weight: 22.4kg per m²



Classic White Rectified Gloss Glazed Ceramic

CS397-3040 • 400 x 300 x 9mm
 Weight: 16.1kg per m²

Please note, because of their size, these tiles are not in proportion to reference images of tiles in other sections.

Merci de noter qu'en raison de leur taille ces carreaux ne sont pas en proportion avec les autres images dans les autres sections.

Es ist zu merken, daß diese Fliesen in keinem Verhältniss zu der Abbildungen von Fliesen in anderer Ausschnitten stehen.

De tegels in deze afbeeldingen zijn niet afgebeeld in dezelfde schaal als de tegels afgebeeld in andere secties.



Walls



Internal

Tile area calculator

Calculateur de surface de carrelage / Rechner für Fliesenfläche / Rekenhulpmiddel voor te betegelen ondergronden

Nominal size*	Per m ²
Tiles / Carreaux / Fliesen / Tegels	
65 x 230	66.89
100 x 100	100.0
150 x 900	7.41
200 x 1200	4.17
250 x 250	16
250 x 500	8
287 x 295	11.81
300 x 300	11.1111
300 x 400	8.3333
300 x 600	5.556

Nominal size*	Per m ²
Tiles / Carreaux / Fliesen / Tegels	
300 x 900	3.7037
400 x 400	6.25
400 x 800	3.125
440 x 440	5.16
450 x 450	4.94
450 x 900	2.47
500 x 500	4
600 x 600	2.78
900 x 900	1.23

* All of the above dimensions are subject to a tolerance of ± 2.5 mm or $3/32"$. Quantities shown exclude grout gaps between each tile. Please allow an additional 5% for cutting/wastage.

* Remarque : Toutes les dimensions précédentes sont sujettes à une tolérance de $\pm 2,5$ mm. Les quantités démontrées n'incluent pas les joints entre les carreaux. Nous vous recommandons de prévoir au moins 5% supplémentaires pour les chutes.

* Beachten Sie bitte: Alle oben genannten Abmessungen können Abweichungen von ± 2.5 mm aufweisen. Angegebene Mengen schliessen die Fugen zwischen jeder Fliese aus. Es empfiehlt sich, mindestens 5% material für etwaiger Bruch einzuplanen.

* Voor alle afmetingen geldt een tolerantiewaarde van ± 2.5 mm. Voeg openingen tussen tegels zijn niet meegerekend in de aangegeven hoeveelheden. Houd rekening met vijf procent snijverlies.

WEAR RATINGS FOR GLAZED PORCELAINS AND CERAMICS, IN LINE WITH ISO 10545-7

Taux d'usure pour les Porcelaines Emailées et les Céramiques, selon la norme ISO 10545-7 / Verschleißwerte für glasiertes Feinsteinzeug und Keramik, nach ISO 10545-7 / Slijtageclassificatie voor geglaazuurd porselein en keramiek, in overeenstemming met ISO 10545-7

- Floor coverings in areas that are walked on by soft soled or normal footwear with low traffic and occasional scratching / Revêtements pour les sols sur lesquels on marche avec des chaussures aux semelles souples ou normales, où le passage est faible et où le risque de rayures est peu élevé / Bodenbeläge für Bereiche, die mit weich besohlenen oder normalen Schuhen betreten werden. Geringer Durchgangsverkehr, gelegentliche Kratzer / Vloeroppervlak op plaatsen met licht verkeer en incidentele krassen waar men op loopt met schoenen met zachte zolen of normale schoenen
- Floor coverings in areas that, with normal footwear, are walked on more often with small amounts of scratching and dirt. Suitable for residential kitchens, halls and corridors / Revêtements pour les sols sur lesquels le passage avec des chaussures normales est plus fréquent, et où rayures et salissures sont légères. Convient aux cuisines, aux halls et aux couloirs domestiques / Bodenbeläge für Bereiche, die mit normalem Schuhwerk betreten werden. Geringe Kratzer und Verschmutzungen. Geeignet für Wohnküchen, Flure und Dielen / Vloeroppervlak op plaatsen waar men, met normale schoenen, vaker loopt met kleine hoeveelheden vuil en krassen. Geschikt voor huishoudelijke keukens, hallen en gangen
- Floor coverings that are walked on by regular traffic with some scratching dirt. Suitable for entrances, commercial kitchens etc / Revêtements pour les sols sur lesquels le passage est régulier avec salissures et rayures. Convient aux entrées, aux cuisines commerciales, etc / Bodenbeläge für Bereiche mit regelmäßigem Durchgang und gewissen Kratzverschmutzungen. Geeignet für Eingänge, Großküchen etc / Vloeroppervlak op plaatsen waar regelmatig op wordt gelopen met wat krassend vuil. Geschikt voor ingangen, commerciële keukens, enz
- Floor coverings that are subject to severe pedestrian traffic over sustained periods with some scratching dirt. Suitable for shopping centres, airport concourses, hotel foyers etc / Revêtements pour les sols sur lesquels le passage est intense sur de longues périodes, avec salissures et rayures. Convient aux centres commerciaux, aux halls d'aéroport, aux réceptions d'hôtels, etc. / Bodenbeläge für Bereiche mit starkem Fußgängerverkehr über längere Zeiträume mit gewissen Kratzverschmutzungen. Geeignet für Einkaufszentren, Flughafengebäude, Empfangshallen etc / Vloeroppervlak op plaatsen die worden blootgesteld aan een grote hoeveelheid voetgangers gedurende langere perioden met krassend vuil. Geschikt voor winkelcentra, luchthavenhallen, hotelfoyers, enz

WEAR RATING: FOR UNGLAZED PORCELAINS AND CERAMICS, IN LINE WITH ISO 10545-6 ISO 10545-6 (<175mm²)

Passes current tests for deep abrasion in line with ISO 10545-6 / French here / German / Dutch here

Pendulum Test BS7976-2 (4S96)

Certain tiles have been rated for their Pendulum Test Value (PTV) a test for slip potential in the wet. Low potential for slip rating is between 35-64W.

External use

All our porcelain tiles have passed the ISO 10545-12 frost resistance test, making them suitable for external use. We recommend that only tiles with PTVW slip resistance results of 36+ are used in external situations. Original Style Ltd cannot be held liable for cracking that can occur due to adverse weather conditions or poor installation.

Key to symbols

Légende des symbols / Legende der Symbole / Uitleg van symbolen



Suitable for walls

convient aux poses murales / Geeignet für Wände / Geschikt voor muren



Suitable for floors

convient aux poses sur plancher / Geeignet für Böden / Geschikt voor vloeren



Internal

utilisation intérieure uniquement / Nur zur Verwendung im Innenbereich / Alleen voor gebruik binnen

Important information

NOMINAL DIMENSIONS

We quote nominal dimensions throughout this brochure which are subject to slight variation within internationally accepted standards.

SHADE VARIATION

Shade variation is an inherent feature of Tileworks porcelain and ceramic tiles. We recommend that tiles are loosely laid out and 'blended' prior to fixing to achieve the most pleasing distribution of shades. Differences between batches can be more marked, for this reason we recommend that you buy all the tiles at one time. No liability for shading issues can be accepted after installation.

ADHESIVES AND GROUTS

Always use high quality adhesives and grouts following manufacturers' recommendations for their use and suitability for the type of tile, the application and the substrate being tiled.

SEALING

As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

Dream Beige CS523-4040, CS523-6030, CS523-6060, page 66: Some batches of this polished porcelain may have been treated with a nano coating after manufacture, which means they do not need to be sealed. Please refer to our Fixing Guide at www.originalstyle.com/fixing.html for full details of how to test for the nano coating and subsequent sealing procedure.

Zelo Slimline CS802-8040, CS803-8040, CS804-8040, CS805-8040, page 50: Although they have a thickness of only 5mm, Zelo Slimline tiles conform to the standards for impact resistance tests: BS EN ISO 10545-5: Average Coefficient of Restitution 0.85 (impact resistance with no damage caused through test). The application of the tiles must be a solid bed method with no voids behind the tiles and all expansion joints must be followed and uncoupling systems set in place if required.

INSTALLATION, ADHESIVES, GROUTS, SEALANTS, CLEANING AND MAINTENANCE

Please refer to our Fixing Guide at www.originalstyle.com/fixing.html before commencing any installations as Original Style cannot accept responsibility for any faults after tiles have been fixed. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials.

For technical queries, please contact our technical department at info@originalstyle.com

PHOTOGRAPHY

Owing to variations in studio lighting and printing inks, the tile colours shown in this catalogue may differ slightly from those of the actual tiles.

LIMITS OF LIABILITY

Original Style accepts no liability for the faulty installation of its products. In the case of any claim relating to the tiles themselves, Original Style's liability, to the extent permitted by law, is limited to either the replacement of the product or a refund of the cost of the product, and does not extend to cover any consequential loss.

Claims must be reported within seven working days from receipt of the tiles. Tiles must be inspected prior to installation and claims cannot be considered after the tiles have been installed. Please be advised that installation constitutes acceptance of the quality, size, colour, texture and shade of the tiles. Original Style warrants that its tiles conform to their description and are fit for their purpose.

Original Style makes no other express or implied warranty as to fitness or suitability of the products for particular installations. We extend no guarantees, express or implied, as to wear resistance or maintenance procedures.

It is imperative to follow sealer, grout and adhesive manufacturers' instructions regarding their suitability with our products. If in doubt please consult the sealant/grout/adhesive stockist from whom you purchased the products. Original Style makes no representations as to the fitness for purpose of third party sealants, adhesives and grouts.

Please note the use of certain acid based cleaning products may cause some of the tiles to react and change in character.

Original Style gratefully acknowledges the assistance of the following companies with the photographic settings:

Amos Lighting	www.amoslighting.co.uk
Debenhams	www.debenhams.com
Furniture Village	www.furniturevillage.co.uk
Gazco	www.gazco.com
House of Fraser	www.houseoffraser.co.uk
John Lewis	www.johnlewis.com
Orange Tree	www.theorangetree.co.uk
Samuel Heath	www.samuelheath.co.uk
Stovax	www.stovax.com
Totnes Tile Studio	tel +44 (0)1803 865865
UKBW	www.ukbw.com

Informations essentielles

DIMENSIONS NOMINALES

Les dimensions indiquées dans cette brochure correspondent aux dimensions nominales, qui sont sujettes à de légères variations dans les limites des normes internationalement admises.

NUANCES DE TEINTE

Les nuances de teinte sont une caractéristique inhérente. Tileworks porcelain and ceramic tiles. Nous vous conseillons de positionner et d'assortir les carreaux avant de les cimenter afin d'obtenir la meilleure distribution possible des nuances. Les différences peuvent être plus flagrantes entre les lots; pour cette raison, nous vous recommandons d'acheter l'ensemble de vos carreaux en même temps. Une fois la pose réalisée, tout problème lié aux nuances de teinte ne saurait donner lieu à réclamation.

COLLES ET MORTIERS

Utilisez systématiquement des colles et mortiers de haute qualité, en respectant les recommandations des fabricants en termes d'utilisation et de convenance vis-à-vis du type de carrelage, du mode d'application et de la surface à carrelar.

SEALING

As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

Dream Beige CS523-4040, CS523-6030, CS523-6060, page 66: Some batches of this polished porcelain may have been treated with a nano coating after manufacture, which means they do not need to be sealed. Please refer to our Fixing Guide at www.originalstyle.com/fixing.html for full details of how to test for the nano coating and subsequent sealing procedure.

Zelo Slimline CS802-8040, CS803-8040, CS804-8040, CS805-8040, page 50: Although they have a thickness of only 5mm, Zelo Slimline tiles conform to the standards for impact resistance tests: BS EN ISO 10545-5: Average Coefficient of Restitution 0.85 (impact resistance with no damage caused through test). The application of the tiles must be a solid bed method with no voids behind the tiles and all expansion joints must be followed and uncoupling systems set in place if required.

INSTALLATION, ADHESIFS, JOINTS, NETTOYAGE ET ENTRETIEN

Merci de vous reporter au guide d'installation sur www.originalstyle.com/fixing.html avant de commencer l'installation de votre carrelage Original Style car nous ne pouvons accepter la responsabilité pour les défauts une fois l'installation faite. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials.

For technical queries, please contact our technical department at info@originalstyle.com

PHOTOGRAPHIES

En raison des variations au niveau de l'éclairage du studio et des encres d'impression, les couleurs affichées dans ce catalogue sont susceptibles d'être légèrement différentes de celles des carreaux réels.

LIMITATION DE RESPONSABILITE

Original Style dégage toute responsabilité en cas d'installation incorrecte de ses produits. En cas de réclamation relative aux carreaux eux-mêmes, la responsabilité d'Original Style sera confinée, dans la limite autorisée par la loi, au remplacement du produit ou au remboursement du prix du produit, et ne couvre pas les dommages indirects. Toute réclamation doit être effectuée dans les sept jours suivant la réception des carreaux. Les carreaux doivent être inspectés avant installation. Aucune réclamation ne sera prise en compte une fois les carreaux installés. Notez que l'installation du carrelage constitue l'acceptation de la qualité, de la couleur, de la texture, de la taille et de la teinte des carreaux. Original Style garantit que ses carreaux sont conformes au descriptif fourni et qu'ils sont adaptés à l'usage pour lequel ils sont prévus. Original Style ne formule aucune garantie expresse ou implicite supplémentaire vis-à-vis de l'adéquation ou de la compatibilité de ses produits dans des installations spécifiques. Nous ne formulons aucune garantie, expresse ou implicite, vis-à-vis de la résistance à l'usure ou des procédures d'entretien.

Il est impératif de suivre les instructions des fabricants de colles et de ciments-joints afin d'en vérifier la compatibilité avec nos produits. En cas de doute, consultez le revendeur qui vous aura fourni la colle ou le ciment-joint. Original Style n'assumera aucune responsabilité en ce qui concerne la compatibilité ou l'usage de colles et de ciments-joints tiers. Veuillez noter que l'utilisation de certains produits nettoyants à base d'acide peut provoquer des réactions sur certains carreaux et en modifier les caractéristiques.

Wichtige Informationen

NENNMASS

In dieser Broschüre werden Nennmaße angegeben die innerhalb internationaler gültigen Standards leicht veränderlich sind.

VARIATIONEN DES FARBTONS

Bedingt durch den Herstellungsprozess entstehen geringfügige Farbvariationen. Wir empfehlen, die Fliesen vor dem Verkleben lose zu verlegen und dann zu "mischen", um die angenehmste Verteilung der Farbtöne zu erreichen. Unterschiede zwischen mehreren Chargen können ausgeprägter sein, daher empfehlen wir Ihnen, alle Fliesen auf einmal zu kaufen. Nach der Verlegung der Fliesen kann keinerlei Haftung für Probleme mit dem Farbton mehr übernommen werden.

KLEBER & FUGENMÖRTEL

Verwenden Sie immer qualitativ hochwertige Kleber und Fugenmörtel und befolgen Sie die Herstelleranweisungen in Bezug auf deren Verwendung und Eignung für die Fliesenart, die Anwendung und den zu fliesenden Untergrund.

SEALING

As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

Dream Beige CS523-4040, CS523-6030, CS523-6060, page 66: Some batches of this polished porcelain may have been treated with a nano coating after manufacture, which means they do not need to be sealed. Please refer to our Fixing Guide at www.originalstyle.com/fixing.html for full details of how to test for the nano coating and subsequent sealing procedure.

Zelo Slimline CS802-8040, CS803-8040, CS804-8040, CS805-8040, page 50: Although they have a thickness of only 5mm, Zelo Slimline tiles conform to the standards for impact resistance tests: BS EN ISO 10545-5: Average Coefficient of Restitution 0.85 (impact resistance with no damage caused through test). The application of the tiles must be a solid bed method with no voids behind the tiles and all expansion joints must be followed and uncoupling systems set in place if required.

INSTALLATION, KLEBER, FUGENMÖRTEL, REINIGUNG UND PFLEGE

Bitte lesen Sie vor Beginn der Installation die Installationsanleitung unter www.originalstyle.com/fixing.html, da Original Style keine Haftung für Fehler übernehmen kann, nachdem die Fliesen befestigt wurden. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials.

PHOTOGRAPHIE

Aufgrund variierender Beleuchtungsverhältnisse im Studio oder bei Druckfarben können die im Katalog zu sehenden Farben geringfügig von der tatsächlichen Farbgebung abweichen. Bevor Sie Ihre Auswahl treffen, sollten Sie immer zuvor einen Einzelhändler für Original Style nach Mustern fragen.

HAFTUNGSBESCHRÄNKUNG

Original Style übernimmt für die fehlerhafte Installation seiner Fliesen keine Haftung. Sollte es Reklamationen bezüglich der Fliesen selbst geben, dann beschränkt sich die gesetzlich eingeräumte Haftung von Original Style lediglich auf den Artikelaustausch oder Kostenrückerstattung. Weitere Schäden werden nicht abgedeckt. Vor der Installation sind die Fliesen zu prüfen. Nachträgliche Reklamationen können nicht berücksichtigt werden.

Bitte beachten Sie, dass Sie durch die Installation anzeigen, dass hinsichtlich Qualität, Farbgebung, Textur, Größe oder Schattierung keine Beanstandungen vorliegen. Original Style gewährleistet die beschreibungs- und zweckgemäße Fabrikationsausführung der Fliesen.

Original Style gibt keine weiteren ausdrücklichen oder impliziten Garantien hinsichtlich Eignung der Artikel für besondere Installationsarten. Wir geben weder ausdrücklich noch implizit eine Garantieverlängerung auf Abnutzungsverhalten oder Wartungsarbeiten. Beachten Sie bitte, dass die Fliesen auf Säure basierte Reinigungsmittel reagieren und ihr Aussehen verändern können.

Belangrijke informatie

NOMINALE AFMETINGEN

Tegelafmetingen kunnen enigszins afwijken van de nominale afmetingen binnen internationaal geaccepteerde standaarden.

LIJMEN EN VOEGMIDDELEN

Gebruik altijd lijm en voegmiddel van hoge kwaliteit en volg de richtlijnen van de producenten op inzake gebruik en geschiktheid voor het type tegel, het aanbrengen en de ondergrond die wordt betegeld.

SEALING

As with any polished surface, polished porcelain is susceptible to staining if it is not protected with an appropriate sealer such as LTP MPG Sealer. We recommend that all of our polished porcelains are treated with an appropriate product. Always follow the manufacturer's instructions.

Dream Beige CS523-4040, CS523-6030, CS523-6060, page 66: Some batches of this polished porcelain may have been treated with a nano coating after manufacture, which means they do not need to be sealed. Please refer to our Fixing Guide at www.originalstyle.com/fixing.html for full details of how to test for the nano coating and subsequent sealing procedure.

Zelo Slimline CS802-8040, CS803-8040, CS804-8040, CS805-8040, page 50: Although they have a thickness of only 5mm, Zelo Slimline tiles conform to the standards for impact resistance tests: BS EN ISO 10545-5: Average Coefficient of Restitution 0.85 (impact resistance with no damage caused through test). The application of the tiles must be a solid bed method with no voids behind the tiles and all expansion joints must be followed and uncoupling systems set in place if required.

INSTALLATIE, LIJMEN, VOEGMIDDELEN, REINIGING EN ONDERHOUD

Raadpleeg de installatiegids op www.originalstyle.com/fixing.html voordat u begint met het leggen, aangezien Original Style niet verantwoordelijk is voor defecten nadat de tegels zijn gezet. Original Style will not be held liable for any claims regarding the inappropriate use of sealing, adhesives or grouting materials.

FOTOGRAFIE





Als gevolg van variaties in studiobelichting en printinkten kunnen de in deze brochure afgebeelde kleuren enigszins afwijken van die van de daadwerkelijke tegels. We raden altijd aan dat u uw Original Style-leverancier vraagt om enkele voorbeelden.

AANSPRAKELIJKHEIDSBEPERKING

Original Style is niet aansprakelijk voor de verkeerde installatie van zijn producten. In geval van claims met betrekking tot de tegels zelf is de aansprakelijkheid van Original Style, voor zover dit wettelijk is toegestaan, beperkt tot het vervangen van het product of het vergoeden van de kosten van het product, en is gevolgschade niet inbegrepen. Claims moeten binnen zeven werkdagen na ontvangst van de tegels worden ingediend. De tegels moeten worden geïnspecteerd voordat deze worden gezet. Claims worden niet behandeld nadat de tegels zijn gezet. We wijzen u erop dat tot de zetting het aanvaarden van de hoeveelheid, kleur, structuur, afmetingen en schakering van de tegels behoort.

Original Style garandeert dat zijn tegels overeenkomen met hun omschrijving en geschikt zijn voor het beoogde gebruik. Original Style maakt geen andere uitdrukkelijke of impliciete garanties met betrekking tot de geschiktheid van de producten voor bepaalde installaties. We maken geen garanties, uitdrukkelijk of impliciet, ten aanzien van slijtagebestendigheid of onderhoudsmaatregelen.

Het is van groot belang dat de instructies van de producent voor voeg- en lijmiddelen worden opgevolgd ten aanzien van hun geschiktheid in combinatie met onze producten. Raadpleeg de leverancier van de voeg- en lijmiddelen van wie u de producten hebt gekocht in geval van twijfel. Original Style maakt geen beweringen over de geschiktheid voor gebruik van de lijmen en voegmiddelen van derde partijen. We wijzen u erop dat het gebruik van bepaalde bijtende reinigingsmiddelen kan leiden tot een reactie van de tegels, waarvan het uiterlijk kan veranderen.



Original Style also produce other ranges of ceramic tiles, natural stone, Mosaics and Victorian floor tiles. Please ask your retailer for copies of these brochures. Please return this brochure to your Original Style stockist after use.

The 'Original Style' logo is a registered trade mark of Original Style Ltd.
Original Style Limited is registered in England number 3018117. Registered Office:
Falcon Road, Sowton Industrial Estate, Exeter, Devon EX2 7LF, England

Your Original Style stockist

£2.00 €3.00 \$3.50

TWORKS3/4/12

GENERAL ENQUIRIES

Tel: +44 (0)1392 473004

Fax: +44 (0)1392 473014

UK SALES

Tel: +44 (0)1392 473000

Fax: +44 (0)1392 473010

EXPORT SALES

Tel: +44 1392 473001

Fax: +44 1392 473011

Email: info@originalstyle.com

Website: www.originalstyle.com